

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	372	(read\$3 or determin\$5 or select\$3 or choos\$3) near6 (partition adj (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:12
L2	11	1 same ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:15
L3	6	1 with ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 09:25
L4	639	(stor\$3 or hold\$3 or contain\$3) near6 (partition adj (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:22
L5	10	4 same ((non adj volatile) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:19
L6	6	4 with ((non adj volatile) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 09:39
L7	0	5 same ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 09:32
L8	4	5 same (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:16
L9	2	6 with (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 09:37
L10	88	(stor\$3 or hold\$3 or contain\$3) near6 ((partition adj table) near2 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 09:49

L11	32	10 same (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 09:50
L12	18	10 with (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 09:50
L13	0	11 same ((option adj ROM) or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:18
L14	5	11 same ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 09:51
L15	0	12 with ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 09:51
L16	14	("5269022" "5325532" "5418918" "5469573" "5586327" "5692190" "5694600" "5701477" "5713024" "5754782" "5802363" "5933631" "5944820" "6016402").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/31 09:54
L17	2	("6415382").URPN.	USPAT	OR	OFF	2006/01/31 10:22
L18	0	support\$3 near6 (different near3 (disk adj partition\$1))	USPAT	OR	OFF	2006/01/31 10:25
L19	0	11 same (different near3 (disk adj partition\$1))	USPAT	OR	OFF	2006/01/31 10:25
L20	3	11 same different	USPAT	OR	OFF	2006/01/31 10:25
L21	0	12 with different	USPAT	OR	OFF	2006/01/31 10:25
L22	67	("5136711").URPN.	USPAT	OR	OFF	2006/01/31 11:10
L23	0	legacy near2 (disk adj partition\$1)	USPAT	OR	OFF	2006/01/31 11:10
L24	34	legacy near3 partition\$1	USPAT	OR	OFF	2006/01/31 11:21
L25	0	24 same 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:12

L26	1	24 same (partition adj (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:12
L27	2	24 same ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:51
L28	2	24 with ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:15
L29	2	24 same (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:25
L30	0	24 same ((non adj volatile) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:18
L31	0	24 same ((option adj ROM) or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:23
L32	1	10 same ((non adj volatile) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:20
L33	0	10 with ((non adj volatile) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:20
L34	10	4 same ((non adj volatile) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:24
L35	6	4 with ((non adj volatile) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:20
L36	0	detect\$3 near6 (legacy near3 partition\$1)	USPAT	OR	OFF	2006/01/31 11:56

L37	0	24 same detect\$3	USPAT	OR	OFF	2006/01/31 11:22
L38	1894	(stor\$3 or hold\$3 or contain\$3) near6 (partition near2 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:22
L39	2	38 same ((option adj ROM) or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:23
L40	53	4 same (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:56
L41	37	4 with (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:25
L42	11	40 same (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:57
L43	4	41 with (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:30
L44	143	38 same (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:54
L45	69	38 with (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:51
L46	5	44 same ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:51
L47	0	45 with ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:51

L48	21	44 same (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:53
L49	6	45 with (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:53
L50	0	24 same (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:57
L51	105	(partition adj table\$1) same (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:55
L52	5	10 same (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:56
L53	4	10 with (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:56
L54	5	(legacy near3 partition\$1) same (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:56
L55	5	(legacy near3 partition\$1) with (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:56
L56	13	(legacy near3 partition\$1) same (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:57
L57	13	(legacy near3 partition\$1) with (boot\$3 or reboot\$3 or (re adj boot\$3) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:17

L58	16	(Larvoire and (Jean adj Francois)). in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:08
L59	5	58 and (legacy near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:17
L60	103	(Chu and Simon).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:17
L61	1	60 and (legacy near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:18

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	126	(updat\$3 or modif\$8 or chang\$3) near6 (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:15
L2	10	1 same ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:16
L3	6	1 with ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:25
L4	0	2 same (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:43
L5	1	1 same (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:28
L6	649	(updat\$3 or modif\$8 or chang\$3) near6 (partition near3 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:28
L7	2	6 same (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:44
L8	2514	(stor\$3 or hold\$3 or contain\$3) near6 (partition near3 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:30
L9	3	8 same ((option adj ROM) or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:42
L10	190	8 same (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:42

L11	92	8 with (((non adj volatile) adj memor\$3) or EPROM or EEPROM or flash or ROM or PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:31
L12	1	10 same (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:32
L13	11	8 same (((cylinder or track) adj head adj sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:34
L14	1	8 with (((cylinder or track) adj head adj sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:38
L15	3	8 same (((cylinder or track) adj head adj sector) or CHS) near2 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:40
L16	1	8 with (((cylinder or track) adj head adj sector) or CHS) near2 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:35
L17	4	(partition adj table) same (((cylinder or track) adj head adj sector) or CHS) near2 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:41
L18	1	(partition adj table) with (((cylinder or track) adj head adj sector) or CHS) near2 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:41
L19	53	(partition adj table) same ((logical adj block adj address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:42
L20	27	(partition adj table) with ((logical adj block adj address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:42

L21	0	19 same ((option adj ROM) or OPR0M)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:42
L22	3	19 same (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:44
L23	0	20 with (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:44
L24	0	19 same 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:45
L25	8	19 same 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:46
L26	4	20 with 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:45
L27	9	19 same ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:48
L28	1	20 with ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:48
L31	4	((extensible adj firmware adj interface) or EFI) near6 (partition adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:58
L32	1	((extensible adj firmware adj interface) or EFI) near6 (partition adj (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:59

L33	7	((extensible adj firmware adj interface) or EFI) near6 (partition near3 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:59
-----	---	---	---	----	-----	------------------